

Frontiers of Information Technology & Electronic Engineering
 www.jzus.zju.edu.cn; engineering.cae.cn; www.springerlink.com
 ISSN 2095-9184 (print); ISSN 2095-9230 (online)
 E-mail: jzus@zju.edu.cn



Research on dynamic grouping of heterogeneous agents for exploration and strike missions*

Chen CHEN^{†1}, Xiao-chen WU^{†1}, Jie CHEN^{1,2}, Panos M. PARDALOS^{†3}, Shu-xin DING⁴

¹*School of Automation, Beijing Institute of Technology, Beijing 100081, China*

²*Department of Control Science and Engineering, Tongji University, Shanghai 200092, China*

³*Center for Applied Optimization, Department of Industrial and Systems Engineering, University of Florida, Gainesville, FL 32611, USA*

⁴*Signal and Communication Research Institute, China Academy of Railway Sciences Corporation Limited, Beijing 100081, China*

[†]E-mail: 3120160424@bit.edu.cn; pardalos@ufl.edu

Received July 17, 2020; Revision accepted Nov. 16, 2020; Crosschecked

Abstract: Today, the ever-changing environment and complex combat missions create new demands for the formation of mission groups of unmanned combat agents. This study aims to address the problem of dynamic construction of mission groups under new requirements. Agents are heterogeneous, and a group formation method must dynamically form new groups in circumstances where missions are constantly being explored. In our method, a group formation strategy that combines heuristic rules and response threshold models is proposed to dynamically adjust the members of the mission group and adapt to the needs of new missions. The degree of matching between the mission requirements and the group's capabilities, and the communication cost of group formation are used as indicators to evaluate the quality of the group. The response threshold method and the ant colony algorithm were selected as the comparison algorithm in the experiment. The results show that the grouping scheme obtained by the proposed method is superior to the comparison method.

Key words: Multi-agent; Dynamic missions; Group formation; Heuristic rule; Networking overhead
<https://doi.org/10.1631/FITEE.2000352>

CLC number:

1 Introduction

Today, multi-agent systems (MAS) are widely used to perform complex missions in different fields (Merabet et al., 2014), such as fire control and rescue missions or military detection and strike missions. The first problem to be solved in those missions is how to organize multiple agents to complete a mission, that is, how to assign the overall missions to each agent and ensure that the agents effectively co-

operate. Group formation has a great influence on the ultimate performance of the whole MAS.

When agents have different abilities or play different roles, it is particularly important to form their groups according to the needs of the mission. The problem of finding a partition of agents set in groups so that some utility functions are maximized is known to be NP-hard concerning different utility functions (Gerkey and Mataric, 2004; Vig and Adams, 2006). In the field of artificial intelligence and cooperative systems, especially in distributed collaboration, experts and scholars have done a lot of research on the organizational structure and synergy of multi-agent systems. They have focused on topics such as emergent rule theory (Murphey and

[‡] Corresponding author

* Project supported by the National Natural Science Foundation of China (No. 61773066) and the Foundation of China Academy of Railway Sciences Corporation Limited (No. 2019YJ071)

© Zhejiang University and Springer-Verlag GmbH Germany, part of Springer Nature 2020

Pardalos, 2002), game theory (Pardalos et al., 2008), cooperative autonomous systems (Kim Y et al., 2008; Pardalos et al., 2013; Khoshnoud et al., 2019), and the hierarchical cooperation model (Butenko et al., 2003; Hirsch et al., 2009).

Many scholars have studied the self-organization or dynamic grouping of agents. Research results in the context of confrontation are rich, and Ducatelle et al. (2010), Singh et al. (2010), Liu et al. (2013), Neculescu and Schilling (2015), Orfanus et al. (2016) and Skorobogatov et al. (2020) are all based on this premise.

In terms of solutions, in addition to the classic models and the methods described above, some heuristic rules have also been used in the formation of agents groups and their mission allocation. Ramchurn et al. (2010) and Padmanabhan and Suresh (2015) focus on solving the mission group formation problem by heuristic method, and Oh et al. (2018), Nejad and Kashan (2019), and Guo et al. (2020) designed heuristic methods to deal with the mission allocation problem.

However, as the size of the agent community expands, the versatility of some heuristic methods becomes limited and they no longer apply to more complex mission environments. In this case, people turn to the individual behavior of the natural community and its emerging group behavior and apply it to the agent system so that the individuals can spontaneously form groups to perform complex missions according to dynamic mission information. In this process, agents demonstrate greater self-organization, collaboration, and adaptability to the environment. For example, in Yang et al. (2014) and Khan et al. (2019), a special ant colony algorithm is used to solve the problem of constructing an intelligent dynamic alliance. In addition to the ant colony optimization (ACO), other bio-population-based heuristics have also been used in group formation problems. In Manathara et al. (2011) and George et al. (2010), the particle swarm algorithm and some new heuristic strategies are used to solve the problem of group formation.

As the scale of the task group formation problem continues to change, researchers have tried different methods to solve it. These existing methods have relatively good results when dealing with the dynamic grouping of a single type of agent. However, with the expanded number of agent types, the existing

methods can no longer perform the task of group formation based on the mission requirement for heterogeneous agents. Therefore, in this study, different from the existing results, the matching of heterogeneous agents' capabilities with mission requirements and new evaluation criteria are specifically considered in the grouping process.

This study aims to solve the mission group formation problem of heterogeneous agents in the battlefield environment. Each mission has different priority and capability requirements, and different agents must interact cooperatively. The ability requirement represents the minimum ability required to destroy the target. The purpose of the mission is to find the targets and eliminate them as soon as possible.

Fig. 1 briefly describes the process of collaborative mission execution by heterogeneous agents. In the left module, there are many different types of agents that need to form mission groups to perform missions 1 and 2. When new missions are discovered (missions 3 and 4), agents must adjust the grouping pattern according to the new mission status, form a new topology structure, and adapt to the new mission requirements (as shown in the right-hand side of Fig. 1). An algorithm needs to be designed to achieve dynamic grouping. In the algorithm, heuristic rules and the response threshold method are combined to form a hybrid grouping strategy, which ensures the realization of the above process.

When agents perform missions in the form of a group, this group must exist in the form of a mobile network that can maintain information exchange among members of the group. However, excessive traffic will increase the network burden and the probability of the agent being detected by the enemy. To avoid the undesirable consequences caused by too much information transmission, unnecessary




Fig. 1 Formation and reconstruction of mission groups

communication should be reduced when designing the heuristic rules for grouping.

The main contributions of this study can be summarized as follows. First, a model was established to describe the attributes of the mission and the agent, and the grouping scheme evaluation method was given. Second, a hybrid algorithm combining heuristic rules and the improved response threshold method was designed to solve the dynamic agent grouping problem proposed in this study.

2 Problem formulation

Our research focuses on the dynamic group formation problem, which involves heterogeneous agents with a mission to attack some enemy targets. In the actual grouping process, a unified model is needed to accurately describe the status of the mission and the behavior and capabilities of the agents.

The model contains a mission area G , which is a rectangular, two-dimensional plane. In G , there are q enemy targets (including stationary and moving targets) to be eliminated, and their initial positions are completely random. Each target is treated as a separate mission. Also, we deployed p freely movable agents in the area to detect and strike targets. Because each mission requires agents with various capabilities to collaborate, different types of agents must be grouped to accomplish the mission. When the mission situation changed based on the original grouping, the agents would reform their group according to the new mission list. The agents need to eliminate enemy targets as much as possible.

2.1 Agents

1. Definitions

First, we give the following definitions of the agents used in this study:

- (1) Each agent is a carrier of resource capabilities and a mission platform with certain autonomous capabilities.
- (2) There are different types of agents with different capabilities.
- (3) The number of agents is limited and it is not possible to perform all missions at the same time.
- (4) Networking overhead will be generated when agents form new mission groups.

2. Types and topology

This study adopts two types of agents: the detection agent and the attack agent. The detection agents mainly conduct large-scale reconnaissance operations, discover new targets, and provide real-time updates of mission intelligence. The updated data serves as the basis for the current attack agent grouping. As the name implies, the attack agents mainly attack the enemy target. The dynamic grouping method of these agents based on mission intelligence is our main research content. The attack agents can be divided into several types, because they have different capabilities to tackle various types of targets. Thus, we have to design a rational grouping method based on different types of agents to improve the efficiency of mission execution.

In the process of forming a mission group, a mobile network topology is built among agents, and is used for information exchange between individuals. The hierarchical network concept is introduced into the system, and we achieve a three-dimensional topology through hierarchical modeling.

All the agents involved in the mission formed a hierarchical topology structure as shown in Fig. 2, which consists of two layers. The lower layer is the mission execution layer and contains mission groups composed of attacking agents; the upper layer is the coordination layer, which contains only detection agents. In actual combat, a communication link is formed between the detection agent and the leader of the mission group. In addition to exploring the mission location and posting mission information, the detection agents also need to coordinate among the mission groups when the mission is released. If each mission group is regarded as a small network, the detection agent can be understood as a mobile gateway node that is used for communication and coordination between networks.




Fig. 2 Hierarchical topology

3. Capabilities

The agents' capabilities are described by a

simple slot model, which has been used by researchers in the area of resource collection (Moritz and Middendorf, 2015). In these models, a slot is the smallest relevant unit of the agents' capabilities.

As Fig. 3 shows, slots of different colors represent the different agent capabilities. The number of slot types represents the number of capabilities the agent has. The different slot colors represent the capability level. There are three capability slots in Fig. 3. This indicates that the agent has three different capabilities. The capability values for each capability are shown on the right, and p_{ij} represents the j^{th} capability in agent i . When $p_{ij} > 0$, it means that agent i has the j^{th} capability. In the problem we studied, the number of agent capability slots is different, and the value of each capability is also different.




Fig. 3 Slot model

4. Constraints

Ignoring the impact of the environment, we assume that all agents can reach any location in the mission area. Thus, constraints on path feasibility were not considered in this study. In addition, regarding the characteristics of the agent itself, we considered two types of constraints in our research.

Each agent has an energy storage device. When the energy in the device is exhausted, the agent will not be able to move or participate in any mission group, and it will take some time to replenish the energy. We chose to use the maximum distance, L_{\max} , that the agent could move to indicate the maximum capacity of the battery or fuel tank. Let $E_{i\max} = L_{i\max}$; E_{\max} represents the maximum energy. Thus, the energy currently available on agent E_{ic} can be expressed as:

$$E_{ic} = f_{ch}E_{i\max} - L_{im}, \quad (1)$$

where L_{im} indicates the mileage of agent i ; f_{ch} rep-

resents the number of charges.

In the actual confrontation process, the amount of ammunition carried by the agent is limited, so in addition to energy constraints, ammunition constraints also should be considered. We translated the ammunition constraints into the number of missions in which the agent could participate. Let am_i indicate the remaining number of times that agent i can participate in the mission. When

$$\begin{cases} E_{ic} > 0, \\ am_i > 0, \end{cases} \quad (2)$$

agent i is in a state that can be grouped.

2.2 Mission

The characteristics of the agent and the mission scenario were introduced above. Next, some attributes of the mission are introduced.

In the combat environment of this study, there are multiple missions at the same time, and each mission is independent. Due to the limited capabilities of the agents, when attacking enemy targets, they need to form groups to complete the mission. Because our study focused on the dynamic grouping mechanism of heterogeneous agents, we ignore the impact of the environment on its movement.

To improve the model's versatility, the mission settings need to be as close as possible to the actual situation. During the simulation, the positions of some targets are unknown and need to be obtained through exploration. The continuous updating of the missions list ensures the dynamic nature of the grouping process. In addition, some targets are removable, which improves the authenticity of the model. Moreover, the mission should be completed within a specified time, and when the time limit is exceeded, the mission is considered to have failed.

1. Mission characteristics

(1) Mission duration. The time elapsed from the generation of the mission to the announcement of the failure of the mission is denoted by t_d .

(2) Mission requirements for capabilities. Here, the capability requirement vector was used to represent a mission for each capability requirement. For a specific mission, the capability requirements matched the types of capabilities that all intelligent agents had, that is, the dimension of the vector is the same as the agent's slot type. The vector of capability requirements can be expressed as

$$\mathbf{D}_k = [d_{k1}, d_{k2}, \dots, d_{kp}, \dots, d_{kn}], \quad (3)$$

where d_{kp} represents the demand for the p^{th} capability of the mission k , and n is the type of capability.

(3) The time required for mission k to complete is expressed as t_{ck} . The sum of each ability requirement of the mission is positively correlated with the number of agents dispatched to perform this mission, so we fix the value of t_{ck} , which does not change with the needs of the mission.

Fig. 4 shows the basic mission flow. When the missions are not completed, the mission group needs to be reconstructed according to the new mission requirements until all missions are completed.




Fig. 4 Basic mission flow

2. Constraints

We assume that there is a mission k and a corresponding mission group i , then the relationship between k and i meet the following condition:

$$\forall 1 \leq j \leq n, \exists d_{kj} \leq \text{Cap}(p_{ij}), \quad (4)$$

where j represents a certain ability and $\text{Cap}(p_{ij})$ represents the sum of the ability j in group i . This condition ensures that the mission can be executed smoothly.

2.3 The proposed model

(1) Objective 1: mission rewards ($R(M)$)

In the process of forming a group, the sum of the capabilities of the members in the group is required to be greater than the mission's demand for capabilities. According to the matching idea, certain principles should be satisfied for each mission group: the higher the degree of matching between the mission group's capabilities and the needs of the mission, the greater the benefit of mission completion (Shehory and Kraus, 1998). This is because, in ensuring the completion of the mission, if a mission group is used whose ability far exceeds the mission demand, the

agent's capability resources will be wasted and the overall profit of the mission will be reduced. This section measures mission rewards $R(M)$ using the degree of ability matching. According to the above ideas, we give the numerical calculation method of $R(M)$ based on the matching degree:

$$R(M) = \sum_{k=1}^n P_k r_{Mk}, \quad (5)$$

where $R(M)$ represents the overall mission rewards, P_k represents the priority of mission k , r_{Mk} represents the rewards of mission k based on the matching degree, and the calculation method of r_{Mk} is as follows:

$$r_{Mk} = \begin{cases} b_k - ne_k, & \text{accomplished,} \\ 0, & \text{failed,} \end{cases} \quad (6)$$

$$b_k = \gamma \sum_{j=1}^n d_{kj}, \quad (7)$$

$$ne_k = \frac{\mathbf{O}_k \mathbf{D}_{rk}^T}{\sum_{j=1}^n D_{rkj}}, \quad (8)$$

where b_k represents the ideal reward of mission k , that is, the benefits generated when the sum of the capabilities of the members of the group is exactly the same as the mission's capability needs, b_k is measured by the sum of the mission D_k capability requirements.

According to the relationship between the reward and the matching degree mentioned above, when the capabilities cannot be fully matched, the negative reward ne_k generated by the redundant part of the capabilities needs to be subtracted from b_k . Eq. (8) is used to calculate the negative reward ne_k , where \mathbf{O}_k represents the redundant part of the capability. This can be calculated by:

$$\mathbf{O}_k = \mathbf{Cap}(p_i) - \mathbf{D}_k. \quad (9)$$

\mathbf{D}_{rk} is a vector consisting of the reciprocal of each element in \mathbf{D}_k , and $\frac{\mathbf{D}_{rk}^T}{\sum_{j=1}^n D_{rkj}}$ is used as the weight coefficient of \mathbf{O}_k to measure the impact of each capability's overflow on the reward. When the mission is completed, the specific mission reward can be calculated; otherwise, $r_{Mk} = 0$.

(2) Objective 2: fuel cost ($F(M)$)

In addition to the mission rewards, we also have to calculate the cost of the missions. $F(M)$ represents the fuel cost generated during the movement

of all agents and is described by the average moving distance of the agent. It can be calculated by:

$$F(M) = \frac{\sum_{i=1}^p L_{im}}{p}, \quad (10)$$

where L_{im} indicates the mileage of agent i . p is the number of agents.

(3) Objective 3: networking overhead ($E(M)$)

In addition, in the process of mission execution, periodic data interaction between individuals must be guaranteed by each mission group. In the grouping algorithm, we can only influence the communication data that is generated and the energy consumed during the networking process. In this section, we use energy consumption $E(M)$ as a parameter to measure the communication overhead and its impact when networking. The larger the value of $E(M)$, the greater the communication volume and energy consumed during networking, and the greater the cost of the mission.

To ensure stable data interaction during the mission, we chose a fixed distribution type, time division multiple access (TDMA) as the method for nodes to access the network. We do not study the access protocol and data structure; we only calculate the energy that is consumed in sending application data when the node uses the TDMA protocol to access the network. The following formula gives the calculation method:

$$E_{ipbit} = \sum_{j=1}^{N_{si}} [(P_{ct} + P_{cr}) / \zeta R_s + T d_{tj}^{n_i}]. \quad (11)$$

Eq. (11) is given by Cui et al. (2004) and Jiang et al. (2010), and it is used to calculate the energy consumption of nodes transmitting data. E_{ipbit} is the energy consumed by node i to the leader per 1-bit of data transmission; N_{si} is the hop number from node i to the group leader; P_{ct} and P_{cr} are transmitting circuit power and receiving circuit power respectively; ζ represents modulation parameters; R_s is bit rate; under the condition of point-to-point transmission, T can be regarded as a constant, and depends on the modulation form, circuit compensation, antenna power gain and other parameters; and d_{tj} represents the transmission distance from node j to the next node in the transmission link.

Under the conditions in this study, except for d_{tj} and N_{si} , the remaining parameters can be regarded

as constants, and the values are given by Jiang et al. (2010).

For all missions, the total energy consumption during the networking process is:

$$E(M) = \sum_{i=1}^{N_e} S_i E_{ipbit}, \quad (12)$$

where N_e is the number of times that all nodes are connected to the network, and S_i represents the total amount of application data sent by node i .

Based on the above description, the model is formulated as follows:

$$\begin{cases} \max & R(M), \\ \min & F(M), \\ \min & E(M), \end{cases} \quad s.t. \text{ (2) and (4).}$$

We give three objectives in terms of mission rewards and mission costs. The decision variables include the sum of the capabilities of the mission group $\text{Cap}(p)$, the transmission distance d_t , the number of nodes applying to the network N_e , and the agent's mileage L_m . The value of the above decision variables depends only on the grouping scheme.

3 Dynamic group formation method based on utility function and heuristic rules

In the previous grouping method, the mission team was immediately disbanded after completing the mission, and then the decentralized agents formed a new group according to the mission requirements.

Unlike previous research, we introduced a "dynamic adjustment" mechanism in the mission group restructuring strategy. Once the mission is completed, team members will be adjusted to meet the new mission needs by combining, absorbing new agents, group splitting, and other operations, instead of being disbanded immediately. Individuals in the group share member and mission information, and each group moves and performs the mission as a whole.

3.1 Utility function

Before grouping, we designed the utility function to measure the matching degree between the

agent and the mission. The higher the value of the utility function, the more suitable the agent is to complete the mission. We use the calculation results as the basis for dynamic grouping.

When determining the utility function, we considered the following factors:

1. Urgency of the mission k , defined as follows:

$$ur_k = \frac{1}{t_d - t_{ek}}. \quad (13)$$

2. Euclidean distance. The distance d_{ik} from the agent to the mission k is also an important factor that affects whether the agent is suitable for performing the mission.

$$d_{ik} = \sqrt{(x_i - x_k)^2 + (y_i - y_k)^2}, \quad (14)$$

(x_i, y_i) and (x_k, y_k) are the coordinates of agent i and mission k .

3. The evaluation value conf_{ik} represents the evaluation given by the agent i on the mission k , which can be defined as follows:

$$\text{conf}_{ik} = e^{-(t-t_{fk})}, \quad (15)$$

where t represents the current moment, and t_{fk} is the moment when mission j was discovered. The greater the value of conf_{ik} , the higher the probability that the agent believes that mission k can be completed.

Based on the above three factors, the utility function of agent i for mission k could be expressed as:

$$u_{ik} = \frac{\alpha \cdot ur_k + \text{conf}_{ik} \cdot \beta}{d_{ik}}, \quad (16)$$

where α and β are the weight coefficients of each parameter, respectively.

Eq. (16) can be used to calculate the utility value of each agent for mission i . For group j , the average utility value \bar{u}_{jk} can be calculated to determine whether group j is suitable for performing mission k .

$$\bar{u}_{jk} = \frac{\sum_{i=1}^{n_j} u_{ik}}{n_j}, \quad (17)$$

where n_j represents the number of agents in group j .

3.2 Heuristic rules for dynamic group formation

Next, a networking-overhead-based constructive heuristic (NCH) self-organizing rule is introduced.

When designing the heuristic rules, we considered the network overhead and tried to maintain the original group staffing during the formation of the new mission group, to reduce the communication overhead when networking.

We use mlist to save the missions that need to be executed currently, that is, a list of missions. $|\text{mlist}|$ represents the number of missions in mlist .

Step 1: sort current missions in mlist based on urgency.

Step 2: for $1 < k < |\text{mlist}|$.

Based on the latest mission information recorded by the detection agent, determine the capability demand vector \mathbf{D}_k of each mission.

Determine the capability requirements \mathbf{D}_k of each mission in mlist , the form of \mathbf{D}_k is given by Eq. (3).

Step 3: for $1 < k < |\text{mlist}|$.

According to the existing grouping situation, the currently idle mission groups are counted to form oglist . The number of groups in oglist is represented by $|\text{oglist}|$.

Step 4: for $1 < j < |\text{oglist}|$.

Select groups in order in oglist , and calculate the average utility value \bar{u}_{jk} of each group for mission k according to Eq. (17).

Step 5: sort the groups in oglist according to the value of \bar{u}_{jk} from high to low, and save the new group order in glist . The number of groups in glist is represented by $|\text{glist}|$, $|\text{glist}| = |\text{oglist}|$.

Step 6: let group_k be the group used to perform mission k . Based on the needs of mission k , we will select the appropriate members in glist to join group_k to perform mission k . The purpose of this step is to select multiple individuals that are most suitable for performing mission k to form a group while maintaining the original mission group as much as possible.

For $1 < j < |\text{glist}|$: when selecting members to form the mission k group, we will compare the capabilities of groups 1 to $|\text{glist}|$ with the demand \mathbf{D}_k of k in the order of glist . According to whether Eq. (4) is satisfied, it is divided into the following two cases:

(a) If the relationship between the capabilities of group j and mission k does not satisfy Eq. (4), it means that group j does not meet the current needs \mathbf{D}_k . Let all members of group j join group_k . The difference between the capabilities of j and k is

calculated as the new \mathbf{D}_k . Then return to Step 6, $j = j + 1$.

(b) Conversely, if Eq. (4) is satisfied, it means that group j meets the current needs of mission k . At this time, if all the members of j join group k , some individual capabilities may be wasted. Therefore, we need to combine the improved response threshold method to select suitable individuals from j to join group k and avoid wasting agents. The improved threshold model comes from (Kim MH et al., 2014):

$$P(S_{uk}, \theta_{uk}) = \frac{S_{uk}^2}{S_{uk}^2 + a\theta_{uk}^2 + \Delta\tau_{uk}^{2b}}, \quad (18)$$

where S_{uk} represents the mission's stimulus for agent u , θ_{uk} is the threshold, τ_{uk} represents the time required for the agent u to reach the position of mission k , and a and b are parameters. The lower an agent's threshold or the higher a mission's stimulus, the more likely it was for the agent to accept the mission.

Mission k has different stimulus for different agents, which can be calculated by:

$$S_{uk} = \max\{\mathbf{D}_k\} \cdot \text{Cap}(p_{uv}), \quad (19)$$

$\text{Cap}(p_{uv})$ is the v th capability of agent u , and its type is the same as the type of capability most needed by mission k . If $\max\{\mathbf{D}_k\} = d_{kn}$, then $v = n$ and $\text{Cap}(p_{uv}) = \text{Cap}(p_{un})$.

We let the agent choose mission k with probability $P(S_{uk}, \theta_{uk})$ every second. After each selection, let the individuals who choose k join group k . There are also two cases at this time. When the relationship between group k and \mathbf{D}_k satisfies constraint (4), the grouping of mission k is completed. Otherwise, \mathbf{D}_k and S_{uk} need to be updated. Repeat the above operation until group k and k meet constraint (4). After obtaining group k , the remaining agents in group j form a new group j and continue to participate in the grouping of subsequent missions. After each simulation step t_{sp} , the agent that responds to the mission is selected. If the responding agent is insufficient this time, subtract the sum of the capabilities of the responding agent from the current mission demand to get the new mission demand, update S_{ik} , and continue to respond at the next simulation step:

Through the above operations, we incorporated the response threshold method into the heuristic framework, and effectively solved the problem of screening agents.

Step 7: repeat steps 4–6, until one of the following two conditions occurs, terminating the grouping process:

(a) All missions in the current mission list are performed by a certain group.

(b) When forming a group for mission k in the list, the remaining idle agents are not enough to perform that mission.

When situation (b) occurs, to save time, the remaining idle agents go to the vicinity of mission k and stand by.

In addition, all agents participating in the grouping must satisfy constraint (2).

During the grouping process, some of the original connections will be disconnected, and new connections will be formed at the new mission. When choosing a leader for a new group, we try to choose the original leader included in the group, so that the connection between the leader and the surrounding nodes can be maintained.

• Through the above method, the dynamic agent grouping problem can be solved. After the formation of the mission group, when the agent moves to the vicinity of the mission, if its distance from the leader or the nodes around the leader is less than the communication radius, it can send an application to join the network. We stipulate that the information transmission link from the member to the group leader should not exceed 2 hops at most.

4 Experiments

After designing and describing the model and the dynamic agent self-organizing method, we conducted a series of simulation experiments based on the self-organizing method designed in the study. We wanted to determine the algorithm's performance using different scales and different scenarios through experimentation.

The comparison algorithm selects the response threshold method introduced from Kim MH et al. (2014), and the adjusted ACO is based on the model in this study.

Adjusted ACO: generally speaking, the ant colony algorithm is used to set up the population in the mission environment and spread the pheromone along the way through the ants. In the problem of this study, the pheromone needs to be set at the mission position to attract the agent to execute. The

concentration of the pheromone of the k^{th} mission is represented by τ_k , and the probability that agent i chooses mission k can be calculated as follows:

$$P_{ik} = \frac{(\tau_k)^{\alpha d}}{\sum_{s=1}^q (\tau_s)^{\alpha d}}. \quad (20)$$

After a round of selection, if the needs of mission k are met, set τ_k to zero; otherwise update τ_k according to the following formula and continue to attract agents.

$$\tau_k = \tau_k + \Delta\tau, \quad (21)$$

$\Delta\tau$ is the concentration of increased pheromone.

4.1 Settings

Based on the problems studied in this study, we designed four sets of experiments to compare the application of the algorithm with different mission numbers. Tables 1 and 2 show the different values used for the test runs for all model parameters. The parameter values in Table 1 can be adjusted in the simulation, and the parameter values in Table 2 are derived from Cui et al. (2004) and Jiang et al. (2010). From these tables, we can see the specific parameter settings when we perform four sets of missions of different sizes in the same mission area.

In the simulation, we used one type of detection agent and three attack agent types. The parameters of the four agent types are given in Table 3. Some values in Table 3 refer to the relevant parameters of actual weapons and equipment. Table 4 sets the parameters of the algorithm for comparison. For the two comparison algorithms, we selected parameters that can get better simulation results.

Simulation scenario: Fig. 5 shows the simulation scenario. The small squares represent the enemy deployment units, which were randomly generated in the mission area as the simulation advanced. The large circle indicates the detection agent and its detection range. After the simulation started, the detection agent looped through the mission area to update the mission information. The remaining three symbols, which are triangles, asterisks, and small circles, represent three types of attack agents that performed strikes based on the grouping results from the edge of the mission area.

4.2 Results

By simulating the four mission scenarios, we can compare the running results of the dynamic group formation strategy under different mission numbers.

In the following simulation results, the blue line represents the result of the dynamic grouping method (NCH) designed in this study, the red line represents the result of the response threshold method (RTM), and the yellow line represents the result of the ant colony algorithm (ACO). We conducted 20 simulations on the four mission scenarios given in Table 1 respectively.

Figs. 6–9 respectively show the simulation results obtained under four different mission scenarios, figure parts (a), (b), and (c) represent the results of three objectives under different algorithms. We performed simulations on missions of different sizes, and the results show that the NCH method is superior to the comparison algorithm in all three objectives, and as the number of missions increases, the performance

Table 1 Variable parameters in the experiment

Parameter	Definition	Scenarios			
		1	2	3	4
G	Mission area (km ²)	100*100	100*100	100*100	100*100
q	Number of enemy units	10	25	35	50
-	Enemy location	Random	Random	Random	Random
-	Type of agent	4	4	4	4
-	Type of Capability	3	3	3	3
δ_k	Importance of mission k	Random	Random	Random	Random
t_{sp}	Simulation step	1	1	1	1
t_{ck}	Time required to complete the mission	5	5	5	5
t_d	Mission duration	20	20	25	30
t_r	Replenishing time	2	2	2	2
α	Weight coefficient	10	10	10	10
β	Weight coefficient	5	5	5	5
γ	Weight coefficient	0.6	0.6	0.6	0.6

of the NCH improves. Figs. 8 and 9 clearly reflect the advantages of the NCH compared to the other two comparison algorithms when the number of missions is large.

Moreover, figure parts (d), (e), and (f) are box plots of three objectives, which represent the mean value and fluctuation range of different objectives under different methods. Through the box plot, simulation and comparison results can be more intuitively reflected. As the box plots show, compared with the comparison algorithm, when the NCH is used to dynamically form the mission group, the average of

the three objectives is better. However, the advantages of the NCH are not obvious in terms of the volatility of the solution results, which means that in terms of stability, our method (NCH) has room

Table 2 Fixed parameters in the experiment*

Parameter	Definition	Value
P_{ct}	Transmitting circuit power	98.2 mW
P_{cr}	Receiving circuit power	112.5 mW
ζ	Modulation parameters	1
T	Constant	10^{-18}
R_s	Bit rate	10^4 symbol/s
n_t	Constant	3
S_i	Weight coefficient	20 bit

* Taken from Cui et al. (2004) and Jiang et al. (2010)




Fig. 5 Simulation scenario




Fig. 6 The number of missions is 10 (scenario 1): (a) mission rewards; (b) average distance; (c) communication overhead; (d) mission rewards; (e) average distance; (f) communication overhead




Fig. 7 The number of missions is 25 (scenario 2): (a) mission rewards; (b) average distance; (c) communication overhead; (d) mission rewards; (e) average distance; (f) communication overhead

Table 3 Parameters of agents

Agents	Velocity	Fuel	Ammunition	Anti-air	Ground attack	Maneuverability	Quantity
Type1	300 km/h	8000	–	–	–	10	2
Type2	100 km/h	800	16	3	4	4	8
Type3	60 km/h	400	40	1	5	2	12
Type4	70 km/h	400	12	5	2	3	10

Table 4 Parameters of the algorithm to be compared

Algorithm	Parameter	Definition	Value
ACO	αd	Heuristic factor	1.5
	$\Delta\tau$	Pheromone increment	0.2
RTM (Kim MH et al., 2014)	Θ_{\max}	Maximum threshold	40
	a	Weight coefficient	2
	b	Weight coefficient	1.5

for improvement.

Table 5 shows specific grouping statistics of scenario 1. Through the grouping statistical results, it can be intuitively understood that because the heuristic rules of the NCH method consider the energy consumption factor, the original group member structure can be maintained as much as possible

when the method is used for dynamic grouping. On the contrary, the membership of the mission group of the two comparison algorithms is more random. The comparison can prove the effectiveness of heuristic rules and the NCH algorithm.

In terms of the algorithm characteristics, the use of the NCH method is based on the layered distributed system designed in this study. The implementation of heuristic rules also depends on some simple decisions made by the detection agent (gateway node), such as sorting groups according to the utility value. Therefore, the NCH is not completely a distributed algorithm, but combines some features of a centralized algorithm. The comparison algorithms ACO and RTM are distributed algorithms, which

Table 5 Statistics of grouping results (Scenario 1)

Statistics of grouping results						
	T=10 s		T=20 s		T=30 s	
	Mission	Agents	Mission	Agents	Mission	Agents
NCH	2	3,4,5,27,28,29,30	1	10,11,12,28	3	2,17,18,19,20,22,26
	4	2,17,18,19,20,26	7	1,13,14,15	10	3,4,5,23,24,25
	5	1,13,14,15,16	8	16,21		
	6	21,22,23,24,25	9	6,7,8,9		
ACO	2	2,4,5,18,26,28,29	1	7,10,12,13,21	7	1,6,7,8,13
	4	3,7,17,19,20,27	3	9,11,18,19,26,27,30	9	5,10,14,15
	5	1,11,14,23,25,30	8	17,22,29	10	3,4,9,20,24,28
	6	6,15,16,22,24,26				
RTM	2	1,4,13,24,27,28,30	1	11,12,16,23	7	1,12,13,17,18
	4	2,5,7,17,19,21,25	3	2,14,18,19,20,22,26	8	11,15,23
	5	3,14,15,16,18	9	6,7,8,9,17		
	6	6,20,22,23,26,29	10	3,4,5,10,13,24,25		




Fig. 8 The number of missions is 35 (scenario 3): (a) mission rewards; (b) average distance; (c) communication overhead; (d) mission rewards; (e) average distance; (f) communication overhead

can completely realize the dynamic self-organization of agents without relying on superior nodes. In this respect, the performance of the NCH is worse than those algorithms. In other words, the NCH has certain advantages in solving the problems in this paper, but under other conditions, the performance of the

NCH may not be as good.

5 Conclusion and future work

The purpose of our research is to design a heuristic mission group formation approach with some self-




Fig. 9 The number of missions is 50 (scenario 4): (a) mission rewards; (b) average distance; (c) communication overhead; (d) mission rewards; (e) average distance; (f) communication overhead

organizing characteristics based on the dynamic mission requirements. In the actual battlefield, frequent transmission of data may cause nodes to be detected, or consume too much energy and lose communication ability for a period of time. We designed a series of heuristic rules to preserve the original group's organization as much as possible when forming a new group. This strategy effectively reduces the traffic generated by related steps by reducing the disconnection and reconstruction operations of links between nodes. In addition, based on the ability matching principle, we have also made adjustments to the existing self-organizing algorithm and reduced the wasting of agent capabilities during the grouping process. The adjusted self-organizing algorithm and heuristic rules together form the mission group dynamic formation algorithm described in this study.

In the simulation, we designed a mission scenario where heterogeneous agents search and attack enemy targets. Three objectives show that the NCH method has advantages in solving this problem.

In future work, more complex problems will be

considered. In actual combat, when different types of ammunition are carried, the capabilities of each agent will need to be reconfigurable. Also, the actual mission environment may contain many obstacles or unknown factors, which will affect the movement of agents and their group formation. Therefore, in the next step, we will study the dynamic grouping of agents based on the above new requirements and constraints.

In terms of applying the method, the dynamic self-organizing method studied in this study can be applied in the field of combat, and to the grouping problem of other kinds of missions. In future work, we will transform the model and consider the characteristics of other agents to expand the application area of the proposed method.

Contributors

Chen CHEN and Xiao-chen WU proposed the idea of this paper and investigated the literature. Chen CHEN designed simulation experiments. Xiao-chen WU processed the data. Chen CHEN and Xiao-chen WU drafted the

manuscript. Panos M. PARDALOS and Shu-xin DING helped organize the manuscript. Chen CHEN, Xiao-chen WU, and Jie CHEN revised and finalized the paper.

Compliance with ethics guidelines

Chen CHEN, Xiao-chen WU, Jie CHEN, Panos M. PARDALOS, and Shu-xin DING declare that they have no conflict of interest.

References

- Butenko S, Murphey R, Pardalos P, 2003. Cooperative control: models, applications and algorithms. Springer, Dordrecht, Netherlands.
- Butenko S, Murphey R, Pardalos P, 2004. Recent developments in cooperative control and optimization. Springer, Boston, USA.
- Cui SG, Goldsmith AJ, Bahai A, 2004. Energy-efficiency of MIMO and cooperative MIMO techniques in sensor networks. *IEEE J Sel Areas Commun*, 22(6):1089-1098. <https://doi.org/10.1109/JSAC.2004.830916>
- Ducatelle F, Di Caro G, Förster A, et al., 2010. Adaptive navigation in a heterogeneous swarm robotic system. Adaptive navigation in a heterogeneous swarm robotic system. Proc 4th Int Conf Cogn Syst CogSys, p.87-94.
- George JM, Sujit PB, Sousa JB, 2010. Coalition formation with communication delays and maneuvering targets. Proc AIAA Guidance, Navigation, and Control Conf, p.28-32. <https://doi.org/10.2514/6.2010-8422>
- Gerkey BP, Mataric MJ, 2004. A formal analysis and taxonomy of task allocation in multi-robot systems. *Int J Rob Res*, 23(9):939-954. <https://doi.org/10.1177/0278364904045564>
- Guo M, Xin B, Chen J, et al., 2020. Multi-agent coalition formation by an efficient genetic algorithm with heuristic initialization and repair strategy. *Swarm Evol Comput*, 55:100686. <https://doi.org/10.1016/j.swevo.2020.100686>
- Hirsch MJ, Commander CW, Pardalos PM, et al., 2009. Optimization and Cooperative Control Strategies: Proceedings of the 8th International Conference on Cooperative Control and Optimization. Springer, Berlin, Germany. <https://doi.org/10.1007/978-3-540-88063-9>
- Jiang RY, Ji W, Zheng BY, 2010. Joint optimization of energy consumption in cooperative wireless sensor networks. *J Electron Inf Technol*, 32(6):1475-1479. <https://doi.org/10.3724/SP.J.1146.2009.00521>
- Khan A, Aftab F, Zhang ZS, 2019. Self-organization based clustering scheme for FANETs using glowworm swarm optimization. *Phys Commun*, 36:100769. <https://doi.org/10.1016/j.phycom.2019.100769>
- Khoshnoud F, Esat II, De Silva CW, et al., 2019. Quantum network of cooperative unmanned autonomous systems. *Unmanned Syst*, 7(2):137-145. <https://doi.org/10.1142/S2301385019500055>
- Kim MH, Baik H, Lee S, 2014. Response threshold model based UAV search planning and task allocation. *J Intell Robot Syst*, 75(3-4):625-640. <https://doi.org/10.1007/s10846-013-9887-6>
- Kim Y, Gu DW, Postlethwaite I, 2008. Real-time optimal time-critical target assignment for UAVs. In: Pardalos PM, Murphey R, Grundel D, et al. (Eds.), Advances in Cooperative Control and Optimization. Springer, Berlin, p.265-280, <https://doi.org/10.1007/978-3-540-74356-9>
- Liu MJ, Lin J, Yuan YY, 2013. Research of UAV cooperative reconnaissance with self-organization path planning. Proc Int Conf on Computer, Networks and Communication Engineering, p.207-213. <https://doi.org/10.2991/iccnce.2013.51>
- Manathara JG, Sujit PB, Beard RW, 2011. Multiple UAV coalitions for a search and prosecute mission. *J Intell Robot Syst*, 62(1):125-158. <https://doi.org/10.1007/s10846-010-9439-2>
- Merabet GH, Essaïdi M, Talei H, et al., 2014. Applications of multi-Agent systems in smart grids: a survey. Proc Int Conf on Multimedia Computing and Systems, p.1088-1094. <https://doi.org/10.1109/ICMCS.2014.6911384>
- Moritz RLV, Middendorf M, 2015. Decentralized and dynamic group formation of reconfigurable agents. *Memetic Comput*, 7(2):77-91. <https://doi.org/10.1007/s12293-014-0149-3>
- Murphey R, Pardalos PM, 2002. Cooperative Control and Optimization. Springer, Boston, USA. <https://doi.org/10.1007/b130435>
- Neculescu P, Schilling K, 2015. Automation of a multiple robot self-organizing multi-hop mobile ad-hoc network (MANET) using signal strength. Proc Int Instrumentation and Measurement Technology Conf, p.505-510. <https://doi.org/10.1109/I2MTC.2015.7151319>
- Nejad MG, Kashan AH, 2019. An effective grouping evolution strategy algorithm enhanced with heuristic methods for assembly line balancing problem. *J Adv Manuf Syst*, 18(3):487-509. <https://doi.org/10.1142/S0219686719500264>
- Oh G, Kim Y, Ahn J, et al., 2018. Task allocation of multiple UAVs for cooperative parcel delivery. In: Dołęga B, Głębocki R, Kordos D, et al. (Eds.), Advances in Aerospace Guidance, Navigation and Control. Springer, Cham. https://doi.org/10.1007/978-3-319-65283-2_24
- Orfanus D, de Freitas EP, Eliassen F, 2016. Self-organization as a supporting paradigm for military UAV relay networks. *IEEE Commun Lett*, 20(4):804-807. <https://doi.org/10.1109/LCOMM.2016.2524405>
- Padmanabhan M, Suresh GR, 2015. Coalition formation and Task Allocation of multiple autonomous robots. Proc 3rd Int Conf on Signal Processing, Communication and Networking, p.1-5. <https://doi.org/10.1109/ICSCN.2015.7219891>
- Pardalos P, Grundel D, Murphey RA, et al., 2008. Cooperative networks: control and optimization. Edward Elgar Publishing, Cheltenham, UK.
- Pardalos PM, Butenko S, Murphey R, et al., 2013. Cooperative Control: Models, Applications and Algorithms. Springer Science and Business Media.
- Ramchurn SD, Polukarov M, Farinelli A, et al., 2010. Coalition formation with spatial and temporal constraints. Proc 9th Int Conf on Autonomous Agents and Multiagent Systems, p.1181-1188. <https://doi.org/10.5555/1838186.1838191>
- Shehory O, Kraus S, 1998. Methods for task allocation via agent coalition formation. *Artif Intell*, 101(1-2):165-200. [https://doi.org/10.1016/s0004-3702\(98\)00045-9](https://doi.org/10.1016/s0004-3702(98)00045-9)

- Singh VK, Husaini S, Singh A, 2010. Self-organizing agent coalitions in distributed multi-agent systems. Proc Int Conf on Computational Intelligence and Communication Networks, p.650-655.
<https://doi.org/10.1109/CICN.2010.128>
- Skorobogatov G, Barrado C, Salamí E, 2020. Multiple UAV systems: a survey. *Unmanned Syst*, 8(2):149-169.
<https://doi.org/10.1142/S2301385020500090>
- Vig L, Adams JA, 2006. Multi-robot coalition formation. *IEEE Trans Robot*, 22(4):637-649.
<https://doi.org/10.1109/TRO.2006.878948>
- Yang Y, Qiu X, Meng L, et al., 2014. Task coalition formation and self-adjustment in the wireless sensor networks. *Int J Commun Syst*, 27(10):2241-2254.
<https://doi.org/10.1002/dac.2470>

unedited